

Sleep, Rest and Relaxation

Purpose of this requirement

To ensure each child's comfort is provided for and there are appropriate opportunities to meet each child's individual need for sleep, rest and relaxation in accordance with safe sleeping practices.

To ensure all infants in our care are slept in a safe sleeping environment to reduce the risk of Sudden and Unexpected Death in Infancy (SUDI), including Sudden Infant Death Syndrome (SIDS) and fatal sleeping accidents through best safe sleeping practice (SIDS and kids Infant Safe Sleeping Child Care Kit 2013).

Definitions

Approved Sanitiser: Neutral Cleaner/Detergent

Diversey Asset Neutral Cleaner

Taren Neutral Cleaner

Approved Disinfectant:

Cyclone Bleach 4% (dilute at 10-1)

Taren Bleach 4% (dilute at 10-1)

Comforter: Belonging of the child that invokes a sense of security.

Emergency: An incident that poses an immediate risk which requires an urgent and coordinated response

Infant: Young children between the ages of birth and 12 months.

Moro or startle reflex: Is an infantile reflex normally present in all infants, up to 4 or 5 months of age, as a response to sudden loss of support, when the infant feels as if it is falling. It involves three distinct responses.

- spreading out the arms (abduction)
- unspreading the arms (adduction)
- crying (usually)

DOCUMENT NUMBER & TITLE		NQS2 Sleep, Rest and Relaxation REQUIREMENT			
CONTENT OWNER	Stan Coulter, General Manager, Governance and Risk		DOCUMENT AUTHOR	Tania Howard, NQF Analyst, Quality	
DATE PUBLISHED	1/1/2018	DOCUMENT VERSION	v12.0	REVISION DUE DATE	31/12/2018
Ensure you are using the latest version of this policy.					
Warning – uncontrolled when printed. This document is current at the time of printing and may be subject to change without notice.					

Rest: A period of inactivity, solitude, calmness or tranquillity, and can include a child being in a state of sleep.

Relaxation: Recreation or other activity for bringing about a feeling of calm in your body and mind.

Sudden and Unexpected Death in Infancy (SUDI): The sudden and unexpected death of an infant under 1 year of age after they were placed to sleep. It includes explained and unexplained deaths.

Sudden Infant Death Syndrome (SIDS): The unexplained death without warning of an apparently healthy infant, usually during sleep (<http://medical-dictionary.thefreedictionary.com/sudden+infant+death+syndrome>).

Applicability of this requirement

Regulation 81 of the Education and Care Services National Regulations (2011) relating to 'sleep and rest', identifies that the educators must take reasonable steps to ensure that the needs for sleep and rest of children being educated and cared for by the service are met, having regard to the ages, development stages and individual needs of the children.

On arrival at the centre educators must:

- Seek regular information from children and families concerning sleep, rest routines and practices which relate to their values and beliefs and discuss how this will occur at the centre.
- Assist families to store any linen provided. Linen must be appropriate for the season and be provided for children on a weekly basis in an individually named sleep bag for storage.
- Have access to current safe sleeping information at the centre which can be accessed by staff or families as required.
- Educators will consider the request of families in relation to children's sleep routines while taking into account the needs of the group and individual needs of each child.

Preparation of Rest Area:

- Cots and other bedding equipment and accessories must meet current Australian Standards.
- Position beds and cots with unobstructed access to assist in managing emergency situations and to reduce the risk of cross infection or injury.
- Provide children with a safe sleeping environment removing from reach all potential dangers including cords or strings, heaters and electrical appliances.
- Only one child is permitted per bed or cot for rest time.
- If a child does not have linen for rest time, the centre must provide clean linen for use on the day.
- Ensure that the room temperature and linen is appropriate for the climate. Refer to the Red Nose information statements - Bedding Amount Recommended for Safe Sleep and Room Temperature for further information.
- Older children are to be encouraged to make their own beds.
- Ensure sleep room viewing windows are free from obstruction.
- Cots must be prepared following the below:
 - The bottom sheet must be firmly tucked in.
 - The covering sheet and light blanket must be firmly tucked in at the bottom to prevent the baby or child from covering their head during rest. Where a parent requests that their infant sleeps in a sleeping bag ensure the following;

DOCUMENT NUMBER & TITLE		NQS2 Sleep, Rest and Relaxation REQUIREMENT			
CONTENT OWNER	Stan Coulter, General Manager, Governance and Risk	DOCUMENT AUTHOR	Tania Howard, NQF Analyst, Quality		
DATE PUBLISHED	1/09/2017	DOCUMENT VERSION	v13.0	REVISION DUE DATE	31/08/2019
Ensure you are using the latest version of this policy.					
Warning – uncontrolled when printed. This document is current at the time of printing and may be subject to change without notice.					

- The sleeping bag is made so that the baby cannot slip inside the bag and become completely covered
 - The sleeping bag has a fitted neck and arm holes and does not have a hood.
 - Make sure that the infant has appropriate clothing on under the sleeping bag so that you do not need to use any other bedding (no sheets or blankets)
 - Sleeping bags are not utilised once the infant is outside of the cot, and
 - Position infant in the cot as outlined below.
- Do not use doonas, pillows, lamb's wool, thick quilts, bumpers, soft toys (refer to ACCC - Safe sleeping for infants), comforters or pacifiers attached to a chain in cots.

Child Transition to Rest Time:

- Each child's face and hands are to be washed before transitioning to sleep and rest time. Encourage older children to do this for themselves.
- Remove excess clothing including hooded clothing, jewellery, bibs and shoes from all children. Encourage older children to do this for themselves.
- Ensure clothing is appropriate to the season and room temperature. If children change clothes, respect their need for privacy.
- Ensure there is sufficient lighting for staff to observe children resting and enable children to undertake quiet activities.
- Provide well-ventilated areas for sleeping and resting.
- A bottle required prior to rest, must be offered before laying the infant down. Infants are not to be placed in the cot with a bottle. Young children must always be sitting down while feeding from a bottle or sippy cup.
- Where the parent request that their infant is wrapped ensure the following;
 - Wrapping is only to be used if requested by the parent.
 - Wrap the infant from below the neck to avoid covering the face.
 - Wrap should be firm but not tight. When wrapping infant, allow for hip flexion and chest wall expansion.
 - The infant is not over dressed under their wrap, has the head uncovered and does not have an infection or fever. Use only a nappy and singlet in warmer weather and add a lightweight grow suit in cooler weather.
 - Wrap should be of muslin or light cotton material. Bunny rugs and blankets are not safe alternatives as they may cause overheating.
 - Modify the wrap to meet the baby's developmental changes, e.g. arms free once 'moro' or 'startle' reflex begins to disappear at round 3 months. Refer to the Red Nose guidelines for safe wrapping of young babies' brochure.
 - Discontinue wrapping infant when infant is able to turn onto the tummy during sleep.
 - All staff must demonstrate to the Centre Director that they are able to wrap an infant in line with the Red Nose guidelines for safe wrapping of young babies' brochure. A professional development record must be completed for this.
 - Please note that as the responsible person for the centre, the Centre Director, is responsible for ensuring that they themselves are appropriately trained. To do this a Centre Director must ensure they understand the Red Nose requirements. Centre Directors may like to request

DOCUMENT NUMBER & TITLE		NQS2 Sleep, Rest and Relaxation REQUIREMENT			
CONTENT OWNER	Stan Coulter, General Manager, Governance and Risk		DOCUMENT AUTHOR	Tania Howard, NQF Analyst, Quality	
DATE PUBLISHED	1/09/2017	DOCUMENT VERSION	v13.0	REVISION DUE DATE	31/08/2019
Ensure you are using the latest version of this policy.					
Warning – uncontrolled when printed. This document is current at the time of printing and may be subject to change without notice.					

assistance from their Area Manager or ask Red Nose to attend the centre to ensure they are appropriately trained; and

- Position infant in the cot as outlined below.
- To reduce the risk of Red Nose and fatal sleep accidents ensure the following practices are being carried out:
 - Always place infants on their back to sleep. Infants who are easily able to turn over and move around in the cot must still be placed on their backs while resting, even if they later choose their own resting position. This usually occurs when the child is six months or older.
 - If a family requests their child sleeps contrary to these requirements, staff are to provide them with current evidence based educational resources such as Red Nose information statements in order to facilitate informed decisions regards safe sleeping. If the family is still not in agreement due to a rare medical condition, then a letter from a medical practitioner or specialist must be provided, outlining alternative sleep positions for the child. This will need to be submitted to the inclusion support team as part of an inclusion support application.
 - Position the infant's feet at the bottom of the cot.
 - Ensure the infant's head and face remains uncovered.

Sleep and Rest Time:

Staff must adequately supervise infants and children during sleep and rest time in accordance with relevant legislative requirements.

Children:

- Ensure children's needs for sleep and rest are met, having regard to each child's age and development.
- Routines and environments should be flexible enough to support children who do not require a sleep and those who seek rest and relaxation throughout the day (Guide to Education and Care Services National Law and the Education and Care Services National Regulations, page 57).
- Provide quiet play activities for children who choose not to sleep or rest.

Infants:

- Infants must not sleep in a pram, rocker or bouncer. If they fall asleep in these pieces of equipment, transfer the infant to a cot.
- Cot sides must be pulled up when an infant is placed in a cot.
- Staff ensure that sleeping infants are closely monitored. Physically check resting/sleeping infants at regular intervals. Check each child in the infant sleep room to ensure that their chest or back is rising and falling and the colour of their skin to ensure their safety and wellbeing.
- The Infant Sleep Room Record (link) is to be completed as educators monitor sleeping infants at 5 minute intervals. Document each child's individual sleep/rest on the Routine Information Record (link) of your choice.

Child Transitioning Out of Rest Time:

- Acknowledge children as they wake.
- Ensure infants and children's clothing is appropriate to the season and temperature. Encourage older children to dress themselves. If children change clothes, respect their need for privacy.
- Prior to children moving to quiet learning experiences, encourage them to remove the bed linen and place it in their sleep bag.

DOCUMENT NUMBER & TITLE		NQS2 Sleep, Rest and Relaxation REQUIREMENT			
CONTENT OWNER	Stan Coulter, General Manager, Governance and Risk		DOCUMENT AUTHOR	Tania Howard, NQF Analyst, Quality	
DATE PUBLISHED	1/09/2017	DOCUMENT VERSION	v13.0	REVISION DUE DATE	31/08/2019
Ensure you are using the latest version of this policy.					
Warning – uncontrolled when printed. This document is current at the time of printing and may be subject to change without notice.					

- Store linen appropriately to prevent cross contamination.
- Clean beds with an approved neutral cleaner/detergent and stack safely at the end of rest time.
- Linen is to be laundered after the child's last day of attendance each week. Only Centre provided linen is to be washed at the Centre. Soiled linen should not be carried against clothing, instead use a basket, waterproof bag or other alternative. Linen is not to be shared by children without prior washing. Ensure there is sufficient clean linen for the number of children attending each week.
- Remake the infant's cot if they are returning to the centre the following day. If not, prepare the cot for the infant in attendance on the next day. Sanitise the mattress after the child's last day of attendance for the week with an approved neutral cleaner/detergent. If a mattress or bed is soiled at any time, an approved disinfectant must be used for cleaning to minimise contamination.
 - If a child has soiled themselves during rest time refer to the Toileting Procedure (link). Parent provided linen that has been soiled should be placed into a waterproof bag, labelled with the child's name and then into a sealed plastic container. Centre provided soiled linen should be handled wearing gloves and: Soaked to remove the bulk of the contamination
 - Washed separately in hot water and detergent
 - Dried in the sun or on a hot cycle in the clothes dryer

Things you might like to consider when thinking about sleep, rest and relaxation:

- Play suitable rest music to create a soothing atmosphere. See the reference to the use of music in the Curriculum Development Guideline (link) when considering the use of music during rest time
- Children who do not sleep in a cot may be provided with a comforter where necessary, ensuring adequate supervision is provided by educators at all times
- Sleep and rest practices that are consistent with contemporary views about children's health, safety and welfare and that meet children's individual needs are considered (Guide to the National Quality Standard, page 56). Research has found that there are long-term benefits of sleep, particularly in infants. Sleep is an important part of the cognitive process in which activity in certain brain regions are more active during sleep than when awake.
- Sleep plays a critical role in consolidating learning into long term memory throughout the lifetime (Oats et al. 2012).

Related Documents

Infant Sleep Room Record Appendix, Routine Diary – Nursery and Toddler Appendix; Routine Record 3 to 6 years Appendix; Routine Record – Nursery and Toddler Appendix; Routine Record – Toddler and Kindy Appendix; Toileting Procedure; Curriculum Development Guideline.

Related policies

Children's Health and Safety Policy

DOCUMENT NUMBER & TITLE		NQS2 Sleep, Rest and Relaxation REQUIREMENT			
CONTENT OWNER	Stan Coulter, General Manager, Governance and Risk		DOCUMENT AUTHOR	Tania Howard, NQF Analyst, Quality	
DATE PUBLISHED	1/09/2017	DOCUMENT VERSION	v13.0	REVISION DUE DATE	31/08/2019
Ensure you are using the latest version of this policy.					
Warning – uncontrolled when printed. This document is current at the time of printing and may be subject to change without notice.					

Responsibilities

This requirement is to be implemented by: All centres across Australian States and Territories

Document Authors: Tania Howard, NQF Analyst, Quality

DOCUMENT NUMBER & TITLE		NQS2 Sleep, Rest and Relaxation REQUIREMENT			
CONTENT OWNER	Stan Coulter, General Manager, Governance and Risk		DOCUMENT AUTHOR	Tania Howard, NQF Analyst, Quality	
DATE PUBLISHED	1/09/2017	DOCUMENT VERSION	v13.0	REVISION DUE DATE	31/08/2019
Ensure you are using the latest version of this policy.					
Warning – uncontrolled when printed. This document is current at the time of printing and may be subject to change without notice.					